



BUSINESS CATALOGUE

Your packaging partner



(657)-788-3708



service@nxgenn.com



www.nxgenn.com

TABLE OF CONTENTS

1. HAND FILM.....	1
2. MACHINE FILM.....	7
3. SPECIALTY STRETCH FILM.....	13
4. ADHESIVE TAPE.....	16
5. POLYPROPYLENE (PP) STRAPPING.....	18
6. POLYESTER (PE) STRAPPING.....	22
7. CONSUMER PACKAGING.....	27

HAND STRETCH FILM



**STANDARD HAND FILM**

- Range between 63ga - 120ga.
- Good clarity with high cling.
- Available in 15", 16", 18" width.
- Customizable based on requirement.

**MICRON HAND FILM**

- Range between 55ga - 35ga
- Good clarity with high cling
- Superior puncture resistance, holding force
- Available in 15", 16", 18" width
- Available in 2,000', 3,000' length
- Down-gauge capability to save cost
- Customizable based on requirement

**HIGH PERFORMANCE HAND FILM**

- Advanced film, range between 45ga - 80ga
- Good clarity with high cling
- Available in 15", 16", 18" width, 2,000' length
- Down-gauge capability to save cost
- Customizable based on requirement

**PRE- STRETCHED**

- Strengthen edge with banding effect
- Better load containment
- Reduce plastic usage per pallet
- Minimal neck-down with superior puncture resistance
- Drop resistant, lightweight roll

01 STANDARD HAND FILM

- Economic series, range between 63ga - 120ga
- Good clarity with high cling
- Available in 15", 16", 18" width
- Customizable based on requirement



Item	Width	Size	Gauge	Weight	Cases/Pallet
NS-1812010	17.7	1,000	120	8.5	48
NS-1811010	17.7	1,000	110	7.79	48
NS-189015	17.7	1,500	90	9.56	48
NS-188015	17.7	1,500	80	8.5	48
NS-168015	15.7	1,500	80	7.54	48
NS-158015	15	1,500	80	7.2	64
NS-187015	17.7	1,500	70	7.43	48
NS-167015	15.7	1,500	70	6.59	48
NS-186315	17.7	1,500	63	6.69	48
NS-166315	15.7	1,500	63	5.93	48

The chart displays our most common sizes. For additional sizes and gauges, please contact us directly. Items shown above may not be stocked.

02 HIGH PERFORMANCE HAND FILM

- Advanced series, range between 45ga - 80ga
- Good clarity with high cling
- Outstanding puncture resistance and holding force
- Available in 15", 16", 18" width, 2,000' length
- Down-gauge capability to save cost
- Customizable based on requirement



Item	Width	Size	Gauge	Weight	Cases/Pallet
NH-188015	17.7	1,500	80	8.5	48
NH-187015	17.7	1,500	70	7.43	48
NH-186315	17.7	1,500	63	6.69	48
NH-166315	15.7	1,500	63	5.93	48
NH-185515	17.7	1,500	55	5.84	60
NH-165515	15.7	1,500	55	5.18	80
NH-185115	17.7	1,500	51	5.42	60
NH-165115	15.7	1,500	51	4.8	80
NH-184715	17.7	1,500	47	4.99	60
NH-184515	17.7	1,500	45	4.78	60
NH-164515	15.7	1,500	45	4.24	80

The chart displays our most common sizes. For additional sizes and gauges, please contact us directly. Items shown above may not be stocked.



MICRON HAND FILM

- Range between 55ga - 35ga
- Good clarity with high cling
- Superior puncture resistance and holding force
- Available in 15", 16", 18" width, 2,000', 3,000' length
- Down-gauge capability to save cost
- Customizable based on requirement



Item	Width	Size	Gauge	Weight	Cases/Pallet
NM-185515	17.7	1,500	55	5.84	60
NM-165515	15.7	1,500	55	5.18	80
NM-185115	17.7	1,500	51	5.42	60
NM-165115	15.7	1,500	51	4.8	80
NM-184715	17.7	1,500	70	7.43	60
NM-184515	17.7	1,500	63	6.69	60
NM-164515	15.7	1,500	45	4.24	80
NM-184015	17.7	1,500	40	4.25	80
NM-164015	15.7	1,500	40	3.77	80
NM-183515	17.7	1,500	35	3.72	80
NM-163515	15.7	1,500	35	3.3	80

The chart displays our most common sizes. For additional sizes and gauges, please contact us directly. Items shown above may not be stocked.

04 PRE-STRETCHED

- Pre-stretch is a product from engineered film
- Strengthen edge with banding effect for better load containment
- Reduce plastic usage per pallet 40% by maximize the usage
- Minimal neck-down with superior puncture resistance
- Drop resistant, lightweight roll ease for operator usage



Item	Width	Size	Gauge	Weight	Rolls/Pallet
NP-154015B	15	1,476	40	3.54	168
NP-174015B	17	1,476	40	4.01	112
NP-153615B	15	1,476	40	3.19	168
NP-173615B	17	1,476	40	3.61	112
NP-153215B	15	1,476	40	2.83	168
NP-153220B	15	1,968	40	3.78	144
NP-152820B	15	1,968	28	3.31	168
NP-152815B	15	1,476	28	2.48	189
NP-172815B	17	1,476	28	2.81	126
NP-152420B	15	1,968	24	2.83	168
NP-152415B	15	1,476	24	2.13	189
NP-172415B	17	1,476	24	2.41	126

The chart displays our most common sizes. For additional sizes and gauges, please contact us directly. Items shown above may not be stocked.



MACHINE STRETCH FILM

**STANDARD MACHINE FILM**

- Range between 63ga - 120ga
- Designed for semi-automatic & automatic wrapping machines
- Stretches up to maximum 230%
- Load type: A, B, C
- One-sided cling

**HIGH PERFORMANCE MACHINE FILM**

- Outstanding puncture resistance
- Range between 47ga - 120ga
- Perfect for speedy auto wrapping machine
- Stretches up to maximum 300%
- Load type: A, B, C
- High clarity for barcode scanning

**ENGINEERED MACHINE FILM**

- Range between 43ga - 80ga
- Made for high-speed machine
- Stretches up to maximum 300%
- Load type: A, B, C
- High clarity for barcode scanning
- Superior puncture resistance
- Maximum load containment
- Cost-saving, minimum film usage

**NANO MACHINE FILM**

- Multi-layer film up to 67-layers
- Range between 40ga - 63ga
- Perfect for high-speed machine
- Stretches up to 350%-400%
- Load type: A, B, C
- Maximum utilization with minimum cost

- Range between 63ga - 120ga
- Designed for semi-automatic & automatic wrapping machines
- Stretches up to maximum 230%
- Load type: A, B, C
- One-sided cling
- High clarity with great load-holding force
- Excellent puncture resistance



Item	Width	Size	Gauge	Weight	Rolls/Pallet
NS-2012035B	19.7	3,500	120	33.1	40
NS-2010040B	19.7	4,000	100	31.52	40
NS-209050B	19.7	5,000	90	35.46	40
NS-208050B	19.7	5,000	80	31.52	40
NS-308050B	29.5	5,000	80	47.2	20
NS-207050B	19.7	5,000	70	27.58	40
NS-206350B	19.7	5,000	63	24.82	50
NS-306350B	29.5	5,000	63	37.17	25

The chart displays our most common sizes. For additional sizes and gauges, please contact us directly. Items shown above may not be stocked.

- Known as "best pallet lock", offers outstanding puncture resistance and load-holding force
- Range between 47ga - 120ga
- Designed for high speed automatic wrapping machines
- Stretches up to maximum 300%
- Load type: A, B, C
- High clarity for barcode scanning
- Maximum load containment with minimum film usage



Item	Width	Size	Gauge	Weight	Rolls/Pallet
NH-2012035B	19.7	3,500	120	33.1	40
NH-2010040B	19.7	4,000	100	31.52	40
NH-209050B	19.7	5,000	90	35.46	40
NH-208050B	19.7	5,000	80	31.52	40
NH-308050B	29.5	5,000	80	47.2	20
NH-207050B	19.7	5,000	70	27.58	40
NH-206350B	19.7	5,000	63	24.82	50
NH-306350B	29.5	5,000	63	37.17	25
NH-205575B	19.7	7,500	55	32.51	40
NH-205180B	19.7	8,000	51	32.15	40
NH-305180B	29.5	8,000	51	48.14	20
NH-204790B	19.7	9,000	47	33.33	40
NH-304790B	29.5	9,000	47	49.91	20

The chart displays our most common sizes. For additional sizes and gauges, please contact us directly. Items shown above may not be stocked.

02. MACHINE STRETCH FILM

03 ENGINEERED MACHINE FILM

- Customize outstanding film, range between 43ga - 80ga
- Specially made for high speed fully-automated wrapping machine
- Stretches up to maximum 300%
- Load type: A, B, C
- High clarity for barcode scanning
- Superior puncture resistance, load-holding force
- Maximum load containment with minimum film usage



Item	Width	Size	Gauge	Weight	Rolls/Pallet
NE-208050B	19.7	5,000	80	31.52	40
NE-308050B	29.5	5,000	80	47.2	20
NE-207050B	19.7	5,000	70	27.58	40
NE-206350B	19.7	5,000	63	24.82	50
NE-306350B	29.5	5,000	63	37.17	25
NE-205575B	19.7	7,500	55	32.51	40
NE-205180B	19.7	8,000	51	32.15	40
NE-305180B	29.5	8,000	51	48.14	20
NE-204790B	19.7	9,000	47	33.33	40
NE-304790B	29.5	9,000	47	49.91	20
NE-204390B	19.7	9,000	43	30.5	40

The chart displays our most common sizes. For additional sizes and gauges, please contact us directly. Items shown above may not be stocked.

- Multi-layer film up to 67-layers, range between 40ga - 63ga
- Perfect for high speed fully-automated wrapping machine
- Stretches up to 350%-400%
- Load type: A, B, C
- Maximum utilization with minimum cost



Item	Width	Size	Gauge	Weight	Rolls/Pallet
NX-206350B	19.7	5,000	63	24.82	50
NX-306350B	29.5	5,000	63	37.17	25
NX-205575B	19.7	7,500	55	32.51	40
NX-205180B	19.7	8,000	51	32.15	40
NX-305180B	29.5	8,000	51	48.14	20
NX-204790B	19.7	9,000	47	33.33	40
NX-304790B	29.5	9,000	47	49.91	20
NX-204390B	19.7	9,000	43	30.5	40
NX-2040100B	19.7	10,000	40	31.52	40


The chart displays our most common sizes. For additional sizes and gauges, please contact us directly. Items shown above may not be stocked.

We Make

PACKAGING

Great

SPECIALTY STRETCH FILM



**BANDING FILM**

- Available in 3", 5" width
- Thickness: 60ga - 120ga
- Bundling item together during transportation to avoid damage
- Protect items from scratch or damage

- Available in hand and machine film
- Protect product from UV Ray
- Customizable based on different usage
- Long-term protection, from 6-12 months
- Ideally for products that store outdoors

**UV FILM****COLOR FILM**


- Available in hand and machine film
- Different color coding to identify products
- Easy for sorting in warehouse, transportation

**HIGH CLING FILM**


- Available in hand and machine film
- Superior cling, high secure products
- Durable in dusty, extreme environment

**EXTENDED CORE FILM**

- Available in 20" width
- Thickness: 32ga - 120ga
- Superior puncture resistance
- High force-holding
- Convenient handle

**VENTED FILM**

- Available in hand and machine film
- Special aeration design
- Eliminate condensation problem
- Ideal for fresh produce goods

**POST-CONSUMER RESIN FILM**

- Available in hand and machine film
- Up to 100% PCR content
- Reduce carbon footprint
- 100% recyclable

ADHESIVE TAPE




ADHESIVE

TAPE



04

STANDARD ADHESIVE TAPE

**ACRYLIC WATER BASED TAPE**
HAND & MACHINE**BOPP HOT MELT TAPE**
HAND & MACHINE**NATURAL RUBBER TAPE**
HAND & MACHINE**ACRYLIC SOLVENT TAPE**
HAND & MACHINE**ACRYLIC PRINTED TAPE**
HAND & MACHINE

05

SPECIALTY TAPE


**PVC TAPE****CLOTH DUCT TAPE****MASKING TAPE****ALUMINUM FOIL TAPE****DOUBLE SIDED TAPE****DEGRADABLE TAPE**

POLYPROPYLENE STRAPPING



01 HAND GRADE

- Ideal for manual applications
- Perfect in packing small to medium-sized packages
- Fastened securely with a PP buckle
- Threaded through and tightened for a reliable seal



Item	Width (inch)	Thickness (inch)	Length (feet)	Tensile Strength (lbs)	Elongation (%)	Core Size (inch)
BG-1288MH90PS-015-300-B	½	0.015	9,000	300	< 20	8 × 8
BG-1288MH90PS-020-350-B	½	0.02	9,000	350	< 20	8 × 8
BG-1288MH90PS-022-400-B	½	0.022	9,000	400	< 20	8 × 8
BG-12166H90PS-015-300-B	½	0.015	9,000	300	< 20	16 × 6
BG-12166H90PS-020-350-B	½	0.02	9,000	350	< 20	16 × 6
BG-12166H90PS-024-350-B	½	0.024	9,000	350	< 20	16 × 6
BG-12166H72PS-026-400-B	½	0.026	7,200	400	< 20	16 × 6

The chart displays our most common sizes. For additional sizes, please contact us directly. Items shown above may not be stocked.

YOUR TRUSTY
LOGISTICS PARTNER



06. POLYPROPYLENE (PP) STRAPPING

02

MACHINE GRADE

- Made of premium-grade polypropylene resin
- Specially formulated for high-speed strapping machines
- Available in various specifications and colors



Code	Width (inch)	Thickness (inch)	Length (feet)	Tensile Strength (lbs)	Elongation (%)	Core Size (inch)
BG-5MM8M240PS-017-110-W	5 MM	0.017	24,000	110	< 20	8 × 8
BG-5MM8M230PS-018-140-W	5 MM	0.018	23,000	140	< 20	8 × 8
BG-6MM8M230PS-019-150-W	6 MM	0.019	19,500	150	< 20	8 × 6
BG-8MM8M147PS-020-200-W	8 MM	0.02	14,760	200	< 20	8 × 8
BG-1488M180PS-022-200-W	¼	0.022	18,000	200	< 20	8 × 8
BG-1488M180PS-024-200-W	¼	0.024	18,000	200	< 20	8 × 8
BG-3886M100PS-024-300-W	⅜	0.024	10,000	300	< 20	8 × 6
BG-3888M129PS-024-300-W	⅜	0.024	12,900	300	< 20	8 × 8
BG-1288M95PS-023-250-W	½	0.023	9,900	250	< 20	8 × 8
BG-1288M99PS-022-325-W	½	0.022	9,900	325	< 20	8 × 8
BG-1288M99PS-023-350-W	½	0.023	9,900	350	< 20	8 × 8
BG-1288M99PS-023-350-B	½	0.023	9,900	350	< 20	8 × 8
BG-1498M230PS-020-170-Y	¼	0.02	23,000	170	< 20	9 × 8
BG-1498M180PS-020-200-Y	¼	0.02	18,000	200	< 20	9 × 8
BG-1498M180PS-024-200-Y	¼	0.024	18,000	200	< 20	9 × 8
BG-1498M200PS-024-200-Y	¼	0.024	20,000	200	< 20	9 × 8
BG-14118M131PS-024-200-Y	¼	0.024	13,100	200	< 20	11 × 8
BG-1298M99PS-024-350-W	½	0.024	9,900	350	< 20	9 × 8
BG-12166M80PS-025-400-W	½	0.025	8,000	400	< 20	16 × 6

The chart displays our most common sizes. For additional sizes, please contact us directly. Items shown above may not be stocked.

06. POLYPROPYLENE (PP) STRAPPING

03 HAND - HEAVY DUTY GRADE

- Designed for heavy-duty applications
- Suitable for packing pallets, timber, pipes, glass, etc.



Code	Width (inch)	Thickness (inch)	Length (feet)	Tensile Strength (lbf)	Elongation (%)	Core Size (inch)
BG-1288M72PS-031-600-B	½	0.031	7,200	600	< 20	8 × 8
BG-5888M60PS-030-820-B	⅝	0.03	6,000	820	< 20	8 × 8
BG-3488M45PS-031-1000-B	¾	0.031	4,500	1,000	< 20	8 × 8
BG-12166H72PS-031-600-B	½	0.031	7,200	600	< 20	16 × 6
BG-58166H60PS-026-700-B	⅝	0.026	6,000	700	< 20	16 × 6
BG-58166H60PS-030-820-B	⅝	0.03	6,000	820	< 20	16 × 6
BG-58166H54PS-031-900-B	⅝	0.031	5,400	900	< 20	16 × 6

04 MACHINE - HEAVY DUTY GRADE

- Made from premium-grade polypropylene resin for superior strength
- Specially formulated for use with high-arch strapping machines
- Designed for heavy-duty applications
- Available in various specifications and colors



Code	Width (inch)	Thickness (inch)	Length (feet)	Tensile Strength (lbf)	Elongation (%)	Core Size (inch)
BG-1288M72PS-022-500-W	½	0.022	7,200	500	< 20	8 × 8
BG-1288M72PS-024-550-B	½	0.024	7,200	550	< 20	8 × 8
BG-12166M72PS-026-500-C	½	0.026	7,200	500	< 20	16 × 6
BG-12166M75PS-026-600-W	½	0.026	7,500	600	< 20	16 × 6
BG-58166M60PS-026-700-W	⅝	0.026	6,000	700	< 20	16 × 6

The chart displays our most common sizes. For additional sizes, please contact us directly. Items shown above may not be stocked.

POLYESTER STRAPPING



07. POLYESTER (PE) STRAPPING

01 HAND / MACHINE GRADE – SMOOTH

- Ideal for high-speed automatic machines
- Highest retained tension, low elongation
- Smooth surface: easy handling, reduced friction
- Recyclable, eco-friendly solution for heavy-duty applications



Code	Width (inch)	Thickness (inch)	Length (feet)	Tensile Strength (lbf)	Elongation (%)	Core Size (inch)
BG-PS12MS72-020-600-G	1½	0.02	7,200	600	< 20	16 x 6
BG-PS12MS36-020-600-G	1½	0.02	3,600	600	< 20	16 x 6
BG-PS12MS65-028-820-G	1½	0.028	6,500	820	< 20	16 x 6
BG-PS12MS32-028-820-G	1½	0.028	3,250	820	< 20	16 x 6
BG-PS58MS57-020-750-G	5⁄8	0.02	5,700	750	< 20	16 x 6
BG-PS58MS28-020-750-G	5⁄8	0.02	2,850	750	< 20	16 x 6
BG-PS58MS44-025-900-G	5⁄8	0.025	4,400	900	< 20	16 x 6
BG-PS58MS22-025-900-G	5⁄8	0.025	2,200	900	< 20	16 x 6
BG-PS58MS36-030-1100-G	5⁄8	0.03	3,600	1,100	< 20	16 x 6
BG-PS58MS18-030-1100-G	5⁄8	0.03	1,800	1,100	< 20	16 x 6
BG-PS58MS42-035-1400-G	5⁄8	0.035	4,200	1,400	< 20	16 x 6
BG-PS58MS40-035-1300-G	5⁄8	0.035	4,000	1,300	< 20	16 x 6
BG-PS38MS125-019-400-G	5⁄8	0.019	12,500	400	< 20	16 x 6
BG-PS38MS96-020-500-G	3⁄8	0.02	9,600	500	< 20	16 x 6
BG-PS716MS105-020-500-G	7⁄16	0.02	10,500	500	< 20	16 x 6
BG-PS12MS90-015-500-G	1½	0.015	9,000	500	< 20	16 x 6
BG-PS12MS72-020-600-G	1½	0.02	7,200	600	< 20	16 x 6
BG-PS12MS90-020-600-G	1½	0.02	9,000	600	< 20	16 x 6
BG-PS12MS58-025-775-G	1½	0.025	5,800	775	< 20	16 x 6

The chart displays our most common sizes. For additional sizes, please contact us directly. Items shown above may not be stocked.

07. POLYESTER (PE) STRAPPING

02 HAND / MACHINE GRADE - EMBOSSED

- Enables faster melting during welding
- Increase split resistance, enhanced rigidity
- Improves feeding in strapping equipment, even with heat-seal
- Superior resistance to splitting during use



Code	Width (inch)	Thickness (inch)	Length (feet)	Tensile Strength (lbf)	Elongation (%)	Core Size (inch)
BG-PS12ME90-023-600-G	1½	0.023	9,000	600	< 20	16 x 6
BG-PS12ME72-027-775-G	1½	0.027	7,200	775	< 20	16 x 6
BG-PS58ME46-030-1100-G	5⁄8	0.03	4,600	1,100	< 20	16 x 6
BG-PS58ME40-035-1400-G	5⁄8	0.035	4,000	1,400	< 20	16 x 6
BG-PS58ME40-040-1600-G	5⁄8	0.04	4,000	1,600	< 20	16 x 6
BG-PS38ME125-020-400-G	3⁄8	0.02	12,500	400	< 20	16 x 6
BG-PS38ME96-023-500-G	3⁄8	0.023	9,600	500	< 20	16 x 6
BG-PS716ME105-024-500-G	7⁄16	0.024	10,500	500	< 20	16 x 6
BG-PS12ME105-022-500-G	1½	0.022	10,500	500	< 20	16 x 6
BG-PS12ME72-023-600-G	1½	0.023	7,200	600	< 20	16 x 6
BG-PS12ME58-027-775-G	1½	0.027	5,800	775	< 20	16 x 6
BG-PS12ME90-023-600-G	1½	0.023	9,000	600	< 20	16 x 6

The chart displays our most common sizes. For additional sizes, please contact us directly. Items shown above may not be stocked.

07. POLYESTER (PE) STRAPPING

03

HAND / MACHINE WAX GRADE – SMOOTH

- Runs smoothly through friction seal equipment
- Waxed surface ensures proper functioning in friction seal machines
- Offers the highest retained tension of all strapping materials
- Low elongation for consistent tension, secure sealing
- Recyclable, eco-friendly solution for packaging needs



Code	Width (inch)	Thickness (inch)	Length (feet)	Tensile Strength (lbf)	Elongation (%)	Core Size (inch)
BG-PS12MSW105-019-500-G	½	0.019	10,500	500	< 20	16 x 6
BG-PS12MSW90-021-600-G	½	0.021	9,000	600	< 20	16 x 6
BG-PS12MSW65-028-800-G	½	0.028	6,500	800	< 20	16 x 6
BG-PS58MSW40-035-1400-G	⅝	0.035	4,000	1,400	< 20	16 x 6
BG-PS58MSW42-035-1400-G	⅝	0.035	4,200	1,400	< 20	16 x 6
BG-PS58MSW40-040-1600-G	⅝	0.04	4,000	1,600	< 20	16 x 6
BG-PS38MSW145-020-400-G	⅜	0.02	14,500	400	< 20	16 x 6
BG-PS38MSW137-020-400-G	⅜	0.02	13,750	400	< 20	16 x 6
BG-PS38MSW125-020-400-G	⅜	0.02	12,500	400	< 20	16 x 6
BG-PS716MSW115-020-500-G	⅞	0.02	11,550	500	< 20	16 x 6
BG-PS716MSW105-020-500-G	⅞	0.02	10,500	500	< 20	16 x 6
BG-PS716MSW115-021-500-G	⅞	0.021	11,550	500	< 20	16 x 6
BG-PS716MSW99-024-600-G	⅞	0.024	9,900	600	< 20	16 x 6
BG-PS716MSW90-024-600-G	⅞	0.024	9,000	600	< 20	16 x 6

The chart displays our most common sizes. For additional sizes, please contact us directly. Items shown above may not be stocked.

- Enables faster melting during welding
- Split resistance and enhanced rigidity
- Improves feeding in strapping equipment, even with heat-seal
- Glossy appearance
- Superior resistance to splitting during use



Code	Width (inch)	Thickness (inch)	Length (feet)	Tensile Strength (lbf)	Elongation (%)	Core Size (inch)
BG-PS12ME90-023-600-G	1/2	0.023	9,000	600	< 20	16 x 6
BG-PS12ME72-027-775-G	1/2	0.027	7,200	775	< 20	16 x 6
BG-PS58ME46-030-1100-G	5/8	0.03	4,600	1,100	< 20	16 x 6
BG-PS58ME40-035-1400-G	5/8	0.035	4,000	1,400	< 20	16 x 6
BG-PS58ME40-040-1600-G	5/8	0.04	4,000	1,600	< 20	16 x 6

The chart displays our most common sizes. For additional sizes, please contact us directly. Items shown above may not be stocked.

CONSUMER PACKAGING



01 FOOD FILM



- **Reliable Quality** : FDA-approved for consistent food safety and performance
- **Extended Freshness** : Prolongs shelf life and reduces waste
- **Versatile Use** : Perfect for a variety of food types
- **Durable & Cost-Effective** : Strong and tear-resistant
- **Slide Cutter & Cutterbox Options** : Convenient cutting solutions for easy dispensing
- **Cutterbox** : Metal cutting teeth for effortless tearing
- **Slide Cutter** : Concealed blade attached to box for quick, smooth cuts

Item	Size	Rolls/Case	Case/Pallet	Weight (lbs)
FF-1210	12"x1000'	1	286	3.8
FF-1220	12"x2000'	1	168	6.5
FF-1230	12"x3000'	1	168	9
FF-1520	15"x2000'	1	112	7.7
FF-1810	18"x1000'	1	286	5.5
FF-1820	18"x2000'	1	112	9.5
FF-1830	18"x3000'	1	112	13.3
FF-2410	24"x1000'	1	112	7.5
FF-2420	24"x2000'	1	56	12.8

The chart displays our most common sizes. For additional sizes, please contact us directly. Items shown above may not be stocked.



- **Superior Grade :** Exceptional strength and durability
- **Exact Roll Lengths :** Available in standard 500ft, 1000ft, and custom lengths
- **Variety of Widths :** Offered in 12", 15", 18", and 24" widths
- **Strength Options :** Standard and heavy-duty foils for diverse needs
- **Food Grade & Safe :** Ideal for direct contact, cooking, and storage

Item	Size	Strength	Rolls/Case
FA-1250STD	12"x500'	Standard	1
FA-1250HD	12"x500'	Heavy Duty	1
FA-12100STD	12"x1000'	Standard	1
FA-12100HD	12"x1000'	Heavy Duty	1
FA-1550STD	15"x500'	Standard	1
FA-1550HD	15"x500'	Heavy Duty	1
FA-15100STD	15"x1000'	Standard	1
FA-15100HD	15"x1000'	Heavy Duty	1
FA-1850STD	18"x500'	Standard	1
FA-1850HD	18"x500'	Heavy Duty	1
FA-18100STD	18"x1000'	Standard	1
FA-18100HD	18"x1000'	Heavy Duty	1
FA-2450STD	24"x500'	Standard	1
FA-2450HD	24"x500'	Heavy Duty	1
FA-24100STD	24"x1000'	Standard	1
FA-24100HD	24"x1000'	Heavy Duty	1

The chart displays our most common sizes. For additional sizes, please contact us directly. Items shown above may not be stocked.



- Interfolded pop-up foil sheets
- Pre-cut sheets in standard and custom sizes
- Ideal product for cooking, wrapping and direct food contact

Item	Size	Strength	Rolls/Case
Foil Sheets 9"x10 3/4" Gold 2400/case	9"x10 3/4"	200	12
Foil Sheets 9"x10 3/4" Silver 2400/case	9"x10 3/4"	200	12
Foil Sheets 9"x10 3/4" Silver 3000/case	9"x10 3/4"	500	6
Foil Sheets 12"x10 3/4" Silver 2400/case	12"x10 3/4"	200	12
Foil Sheets 12"x10 3/4" Silver 3000/case	12"x10 3/4"	500	6

The chart displays our most common sizes. For additional sizes, please contact us directly. Items shown above may not be stocked.

04

DISPOSABLE FOIL PANS

- Tough, durable and versatile aluminum foil
- Compatible with secure-fitting lids
- One-time use, easy transport and storage
- Great for takeout orders, baking and food storage
- Available in various size options



Item	Size	Capacity (ml)	Qty/Pack	Pack/Pallet	Weight (lbs)
Round Foil Pan 7"	7"x2"	660	500	63	10.5
Foil Lid for Round 7"	7"	–	500	180	9.8
Plastic Dome Lid for Round 7"	7"	–	500	99	8.2
Round Foil Pan 8"	8"x1.8"	1,200	500	24	17
Foil Lid for Round 8"	8"	–	500	100	14.2
Plastic Dome Lid for Round 8"	8"	–	500	140	11.1
Round Foil Pan 9"	9"x1.9"	1,350	500	210	18
Foil Lid for Round 9"	9"	–	500	210	15.9
Plastic Dome Lid for Round 9"	9"	–	500	128	12.4
Half Size Foil Pan (Shallow)	12.8"x10.2"x1.6"	2,250	100	42	9.1
Half Size Foil Pan (Medium)	12.8"x10.2"x2.2"	3,000	100	42	9.3
Half Size Foil Pan (Deep)	12.8"x10.2"x2.6"	3,500	100	42	10.8
Lid for Half Size Foil Pan	13.4"x10.6"	–	100	90	4.6
Full Size Foil Pan (Shallow)	20.7"x12.9"x1.8"	4,500	50	42	13.6
Full Size Foil Pan (Medium)	20.7"x12.9"x2.2"	6,800	50	42	14.2
Full Size Foil Pan (Deep)	20.7"x12.9"x3.2"	9,600	50	42	16.9
Lid for Full Size Foil Pan	21.1"x13.3"	–	50	72	8.4

The chart displays our most common sizes. For additional sizes, please contact us directly. Items shown above may not be stocked.

05 BAGS (PRODUCE BAGS/ T-SHIRT BAGS)

- Compliant with FDA & USDA regulations
- Packed on rolls for easy dispensing
- Biodegradable, vented, gusseted
- Microwavable options available
- Available in standard and custom sizes



Item	Type	Size	Thickness (Mil)	Ct/Case	Prints
FP-111405	Produce Bag	11"x14"	0.5	1250; 2000	Clear; Clear wt Green prints
FP-1114125	Produce Bag	11"x14"	1.25	620	Clear
FP-111705	Produce Bag	11"x17"	0.5	2000	Clear
FP-111905	Produce Bag	11"x19"	0.5	825; 1200; 1500	Clear; Clear wt Green prints
FP-1119125	Produce Bag	11"x19"	1.25	624	Clear
FP-141805	Produce Bag	14"x18"	0.5	3000	Clear wt Green prints
FP-152005	Produce Bag	15"x20"	0.5	3000	Clear wt Green prints
FP-162805	Produce Bag	16"x28"	0.5	1900	Clear wt Green prints
BioFP-111705	Bio Produce Bag	11"x17"	0.5	800; 3200	Green tint wt Green prints
BioFP-141805	Bio Produce Bag	14"x18"	0.5	1200	Green tint wt Green prints
BioFP-152005	Bio Produce Bag	15"x20"	0.5	1500; 3000	Green tint wt Green prints
BioFT-161908	Bio T-shirt Bag	16.1" x 19.7"	0.8	50	Green tint wt Green prints

The chart displays our most common sizes. For additional sizes, please contact us directly. Items shown above may not be stocked.

CONTACT US



NXGENN INC



Add: 13089 Peyton Dr. STE C293 Chino Hills, CA 91709

Tel: (657) 788-3708

WhatsApp: (657) 788-3708

Email: service@nxgenn.com

Website: www.nxgenn.com

